

A digital solution that transforms manual task management by centralizing plans and proposals, enabling users to analyze, compare, and choose the best options efficiently.



#### Problem Statement

The task of manually maintaining, updating, and examining the spreadsheets was challenging for National Grid users, and this process was designed to provide a digital product. Since the manual method has taken more time and most times it was tough to accomplish on time.

		Location Count	311									Site Strategy ENC - Multi DV driver sites (Rebuild or new site)																				
		Sub Count	594																		RIIO-1	12+2										_
	₹	Substation  ABERTHAN 275KV \$/5	Location   Aberthaw	Recommended DV		Lead Individual	Is the site strategy in progress?	Approved by relevant manager (Y/N)	P1 - Sanctioned before end of 2025 P2a - Sanctioned 2026 P2b - Sanctioned 2027 P3 - Sanction 2028+	Proposed Funding Route	Recommended outcome	PC26 Early Needs Case or BAU	When is the first driver?	When is the first sanction date (draft)	Earliest ACL Date	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037
		ABHAM 132KV S/S	Abertnaw	CC-South AO	Yes	Jon Hennah	Yes	Yes Yes	P1 P3	PC26	Rebuild Maintain/Upgrade	ENC BAU	2026	2024	2026						AO	cc		AO & CC					AO	NEPTUNE		
H	-	ABHAM 400KV S/S	Abham	AO		Jon Hennah	No	Yes	P3	PC26	Upgrade/Extension	BAU	2029	2027	2029				CC		AO			AO	NEPTUNE				AO			
		ACTON LANE 22KV S/S	ACTON LANE	AO		Jon Hennah	No	Yes	P1	72	Maintain/Upgrade	BAU	2027	2027	2030						7.0			AO	HE TOTE				AO		-	
		ALDWARKE 275KV S/S	Aldwarke	AO		Jon Hennah	No		PZb	PC26	Maintain/upgrade	BAU					T2 Outstanding Work	12 Outstanding work AO	T2 Outstanding Work		AO			AO					AO			
	$\neg$	ALDWARKE 33KV S/S	Aldwarke	AO		Jon Hennah	No		P2b	PC26	Maintain/upgrade	BAU							TZ Outstanding Work		AO			AO					AO			
		ALVERDISCOTT 132KV S/S	ALVERDISCOTT	AO		Jon Hennah	No	Yes	P3	PC26	Maintain/Upgrade	BAU	2026	2024	2026						AO				Neptune				AO	Neptune		
		ALVERDISCOTT 400KV S/S	Alverdiscott	CC-South	Yes	Bing Yang	Yes	Yes	P2a	PC26	Rebuild	ENC	2028	2026	2028						AO	сс	сс		NEPTUNE	сс			AO	NEPTUNE		cc
		AMERSHAM 132KV S/S	Amersham	CC-South		Daniel Clarke	No	Yes	P2b		Upgrade/Extension	BAU	2029	2027	2029				сс					AO & CC			cc	cc	AO	Neptune		
		AMERSHAM 400KV S/S	Amersham	CC-South		Daniel Clarke	No	Yes	P2b		Upgrade/Extension	BAU	2028	2027	2029				сс		AO			AO & CC					AO	NEPTUNE		
		AUST 400KV S/S	Aust	AO		Jon Hennah	No		Р3	PC26	Maintain/upgrade	BAU						AO						AO					AO			
		AXMINSTER 132KV S/S	AXMINSTER	CC-South	Yes	Mike Hales	Yes	Yes	P1		Upgrade/Extension	BAU	2024	2023	2024				сс	cc	AO	сс	СС	AO					AO			
		AXMINSTER 400KV S/S	Axminster	CC-South	Yes	Mike Hales	Yes	Yes	P1		Upgrade/Extension	BAU	2027	2025	2027				cc			сс	сс	AO	NEPTUNE				AO	NEPTUNE		
		Axminster B 400kV	AXMINSTER	CC-South	Yes	Mike Hales	Yes	Yes	P1	PC26	New site	ENC	2027	2025	2027							cc	cc	cc								
		BAGLAN BAY 275KV S/S	Baglan Bay	AO		Speak to Jon H	No	Yes	P3	PC26	Upgrade/Extension	BAU	2026	2024	2026						AO			AO					AO			
		BANBURY 132KV S/S	Banbury	AO		Jon Hennah	No		Р3	PC31	Maintain/upgrade	BAU																	AO			
		BARKING 275KV S/S	Barking	AO	Yes	Jon Hennah	твс	Yes	P1	PC26	Upgrade/Extension	BAU	2028	2026	2028						AO		сс	AO					AO			
		BARKING 33KV S/S	Barking	AO		Jon Hennah	No		Р3	PC26	Maintain/Upgrade	BAU	2026	2024	2026						AO		сс	AO					AO			
		BARKING 400kV S/S	Barking	AO	Yes	Jon Hennah	твс		Р3	PC26	Maintain/Upgrade	BAU	2026	2025	2026						AO			AO					AO			
	_	BARKING C 132KV S/S	Barking	AO		Jon Hennah	No		P3	PC26	Maintain/Upgrade	BAU	2026	2024	2026						AO		cc	AO					AO			
	_	BARKING GRID 132KV S/S	Barking	CC-South	No	Daniel Clarke	No	Yes	P2a		Upgrade/Extension	BAU	2028	2026	2028								cc	AO					AO			
		BEAULIEU 25KV S/S	Beaulieu	AO		Jon Hennah	No		Р3	PC31	Maintain/upgrade	BAU																	AO AO			
		BEDDINGTON 132KV S/S	Beddington	AO		Jon Hennah	No		P2b	PC26	Maintain/upgrade	BAU				D Outstanding Word	Ti Control dia a Mark	12 Outstanding Work	T Control de la Maria		AO			40					AO AO			
	_	BEDDINGTON 275KV S/S	Beddington	AO		Jon Hennah	No		P1	PC26	Maintain/upgrade	BAU				T2 Outstanding Work T2 Outstanding Work		AO	T2 Outstanding Work T2 Outstanding Work		AO			AO AO					AO			
	_	BEDDINGTON 400KV S/S	Beddington	AO		Jon Hennah	No	_	P2b	PC26	Maintain/upgrade	BAU				12 Outstanding Work	12 Oddanding Nork		12 Oddanding Noix				cc	40					AO	_	$\overline{}$	
-	$\dashv$	BERKSWELL 132KV S/S	Berkswell	CC-Central	Yes	Mark Riddington	No 	Yes	P1	T2	Upgrade/Extension	BAU	2026	2024	2026						cc		cc	AO					AO			
	-	BERKSWELL 275KV S/S	Berkswell	CC-Central	Yes	Mark Riddington	Yes	Yes	P1	T2	Upgrade/Extension	BAU	2024	2023	2026				СС		AO & CC								AO	_		
-	$\rightarrow$	BICKER FEN 132KV S/S BICKER FEN 400KV S/S	Bicker Fen	AO AO	-	Jon Hennah	No No		10.00	PC31	Maintain/upgrade	BAU								-				AO					AO		$\longrightarrow$	
		BICKER FEN 400KV S/S BIRKENHEAD 275KV S/S	Bicker Fen Birkenhead	AO AO		Jon Hennah Jon Hennah	No No		P3 P2b	PC26	Maintain/upgrade Maintain/upgrade	BAU					T2 Outstanding Work		T2 Outstanding Work		AO			AO					AO			
	-	Birkhill Wood (Creyke Beck B) 400kV	Crevke Beck	CC-North	Yes	Bojan Cigic	Yes	Yes	P26	T2	New site	BAU	2026	2024	2026						сс						cc	cc				cc
		BISHOPS WOOD 132KV S/S	Bishops Wood	AO		Jon Hennah	No	1.0	P1	PC26	Maintain/upgrade	BAU	1010	1014	1010			AO			AO			AO					AO			
		BISHOPS WOOD 275KV S/S	Bishops Wood	AO		Jon Hennah	No		P1	PC26	Maintain/upgrade	BAU				T2 Outstanding Work	T2 Outstanding Work	12 Outstanding Work	T2 Outstanding Work		AO			AO					AO			
		BLYTH 275KV \$/\$	Blyth	SI	No	Joselyn Hunt	No		P1	PC26	Rebuild	ENC	2026	2024	2026			AU			AO & CC			AO	NEPTUNE	СС			AO		-	
1	$\dashv$	Blyth 400kV	Blyth	SI	No	Joselyn Hunt	No		P1	T2	Rebuild	BAU	2025	2023	2025					сс				-		СС			AO	-	$\dashv$	
	$\dashv$	BLYTH 66KV S/S	Blyth	SI	No	Jocelyn Hunt	No		P1	PC26	Rebuild	ENC	2026	2024	2026					99	сс			AO & CC					AO	-	$\rightarrow$	
		BODELWYDDAN 400KV S/S	Bodelwyddan	AO		Jon Hennah	No		P3	PC31	Maintain/upgrade	BAU																	AO			
		BOLNEY 132KV S/S	Bolney	CC-South	Yes	Daniel Clarke	Yes	Yes	P2a		Upgrade/Extension	BAU	2028	2026	2028									AO & CC	Neptune				AO			
		BOLNEY 400KV S/S	Bolney	CC-South	Yes	Daniel Clarke	Yes	Yes	P1		Upgrade/Extension	BAU	2026	2024	2026						AO & CC			AO 8 CC	Neptune				AO	NEPTUNE		
		Botley West	Botley West	CC-South	Yes	Nick Opiyo	No	Yes	P1	PC26	New Site	ENC	2028	2025	2027						сс	сс		a ct	СС							
		BOTLEY WOOD 132KV S/S	Botley Wood	AO		Jon Hennah	No		P3	PC31	Maintain/upgrade	BAU				T2 Outstanding Work		T2 Outstanding Work											AO			
	一	BOTLEY WOOD 400KV S/S	Botley Wood	AO		Jon Hennah	No		P3	PC26	Maintain/upgrade	BAU					T2 Outstanding Work	AO	T2 Outstanding Work					AO					AO			
		BRADFORD WEST 132KV S/S	Bradford West	AO		Jon Hennah	No		P2b	PC26	Maintain/upgrade	BAU						AO AO	T2 Outstanding Work		AO			AO					AO			
		*																														


#### Goal

National Grid needed a better way to **manage** asset health and plan investments. They wanted a digital tool to help teams **build**, **compare**, **and prioritize plans** using real data—making planning faster, clearer, and more accurate. Users can view and understand the **health of assets**, helping them make informed **decisions** for the network while creating and managing portfolios. Asset Intelligence (AI) is a module within Electricity Transmission (ET).

- Role: UX/UI Designer
- Responsibilities: Research, Wireframe, Prototyping, Usability Testing, Collaboration
- Team: 1 UX/UI Designer, 8 Developers, 1 Project Manager
- Tools: Mural, Figma
- Project Duration: 6 Months

#### **User Interviews**

From our discussions with key stakeholders, project managers, and journey owners, we uncovered valuable insights into their workflow challenges.



We conducted a collaborative Mural board session with all users to identify key challenges in the current workflow.

The session revealed major pain points, including lack of asset health monitoring, inefficient network decision-making, and fragmented teams and processes. Users also highlighted difficulties in managing network portfolios, limited planning capabilities, and poor data sharing.

Overall, the process underscored a reactive rather than proactive approach to asset and network management.

### Insights from Research


- 1. Lack of Asset Health Monitoring
- 2. Inefficient Network Decision-Making
- 3. Portfolio Management Difficulties
- 4. Limited Intervention Planning
- 5. Fragmented Teams and Processes
- 6. Inadequate Data Sharing and Collaboration
- 7. Reactive Approach to Asset Management


#### User Needs

- They emphasized the **need** for a comprehensive overview of planned estimates and detailed analysis segmented by site or circuit, which is crucial for crafting the most effective plans.
- Their **idea** centers around creating a unified platform that consolidates all planning and proposal data, allowing seamless management and enabling side-by-side comparisons of different proposals. This capability would empower them to make well-informed decisions about which proposals to advance.
- Ultimately, this digital transformation **aims** to replace the existing manual process, significantly enhancing users' ability to manage daily tasks with greater accuracy and efficiency.




# Hi-Fi Designs



























# Design Systems














## Logo Options























### Final Screen

- Stakeholder Demos: Internal and external presentations
- Specs & Assets: Delivered to developer

**Note:** The working file was developed within the client's secure environment. As a result, prototype links are no longer accessible outside that environment.